



# SteriTech Residual Disinfectant

For general purpose surface disinfection



SANS 636  
Permit number  
7333/10881



**Available sizes:**  
500mL Spray; 1L Trigger; 5L; 20L  
**Dilution Factor:**  
Ready-to-Use

Reg. No. ACT29GNR529/242056/040/302

**Quick:**

Broad Spectrum disinfection in 5 minutes.

**Safe:**

Non-Toxic, Non-Corrosive, Non-Caustic, Non-Staining, Non-Irritant, Non-Carcinogenic and Biodegradable. Contains no Phenol, Chlorine or Aldehydes.

**Economical:**

Ready to use, so no wastage due to incorrect dilution.

**Easy:**

Effective on any pre-cleaned surface, so no confusion as to what product to use where.

**Residual Action:**

Continues to disinfect even after the surface has dried, giving long-lasting protection, and ultimate peace of mind.



**Antimicrobial Efficacy:**

SteriTech Concentrate has been tested effective against the following organisms by the SABS, hospitals, government approved & internationally accredited laboratories in South Africa, UK and the USA:

**Bactericidal:** *Pseudomonas aeruginosa*, *Staphylococcus aureus*, MRSA, *Escherichia coli* & Coliforms, *Chlamydia trachomatis*, *Salmonella typhi* & *choleraesius*, *Enterobacter cloacae*, *Actinomyces naeslundii*, *Ureaplasma urealyticum*, *Streptococcus faecalis* & *mutans*, *Lactobacillus leichmanni* & *paracasei*, *Enterococcus hirae*, *Mycobacterium bovis* & *Tuberculosis*, *Klebsiella pneumonia* and *Listeria monocytogenes*. **Virucidal:** Cytomegalovirus, HIV, Polio, Herpes, Influenza, Rotavirus, Foot & Mouth Disease, Avian Influenza, SARS, Coronavirus, Norovirus, Parvo and Calicivirus. **Fungicidal** (including fungal spores): *Trichophyton mentagrophytes*, *Candida albicans* and *Aspergillus flavus* & *brasiliensis*.

**Microbicidal:** *Dermatophagoides pteronyssinus*

**Active Ingredient:**

**SteriTech Residual Disinfectant** contains SteriTech Concentrate (a Quaternary Ammonium Compound/TriButyl Tin Oxide Blend) at a level of 0.75%.

**First Aid:**

In case of eye contact:  
Flush eyes thoroughly with water. Redness might occur, but should disappear within 30 minutes. Should it persist, consult your physician.

In case of ingestion:  
Do not induce vomiting, simply drink a glass of water and consult your physician.

**Instructions for Use:**

Thoroughly clean & rinse surfaces, and then spray **SteriTech Residual Disinfectant** uniformly from a distance of about 30cm away. Allow to dry naturally, for a minimum of 5 minutes, before using the surface again. Repeat as often as required by your Infection Control Protocol (suggested Protocols available on request).

**Recommended Uses:**

- Surface Disinfection.
- Safe disinfection of everyday items such as toys, telephones, doorhandles, curtains, furniture etc
- Allergy Control (house dust mite kill).



**PPE Requirements:**

**None Strictly Necessary**  
But OHSA requires the use of eye protection & good ventilation when mixing, handling or discarding chemical disinfectants, and HICPAC Guidelines recommend the use of disposable plastic aprons & latex gloves when mixing, handling or disposing chemical agents.

**Product Description:**

**Physical form:** Translucent Green liquid  
**pH:** 5-6. **Odour:** Lemon fragrance  
**Incompatibility:** Anionic detergents  
Natural soaps

Date Of Issue:  
27/05/13



**Enquiries to:**  
1 Bohnvista, 25 Payne Street, Pinetown P.O. Box 1338, Kloof, 3640, South Africa Tel: +27 31 702 7656  
Fax: +27 31 702 3659 Website: www.steritech.co.za Email: info@steritech.co.za  
**Please note: This is NOT a Material Safety Data Sheet**

